


AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A compound of formula (I)



or a salt or ester or prodrug thereof;

where:

X is O or NR⁶;

R⁶ is hydrogen or C₁₋₄alkyl;

R¹ is hydrogen, halo, or -X¹R¹¹;

X¹ is a direct bond, -CH₂=CH₂-, -O-, -NH-, -N(C₁₋₆alkyl)-, -C(O)-, -C(O)O-, -OC(O)-, -NHC(O)-, -N(C₁₋₆alkyl)C(O)-, -C(O)NH- or -C(O)N(C₁₋₆alkyl)-;

R¹¹ is hydrogen, or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and heterocyclylC₂₋₄alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from halo, hydroxy, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, -NR⁹R¹⁰,

-C(O)R⁹, -C(O)NR⁹R¹⁰ and -C(O)OR⁹;

R² is hydrogen, halo, nitro, cyano or -X²R¹²;

X² is a direct bond, -O-, -NH-, -N(C₁₋₆alkyl)-, -OC(O)- or -C(O)O-;

R¹² is hydrogen, or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, aryl, arylC₁₋₄alkyl, arylC₂₋₄alkenyl, arylC₂₋₄alkynyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and heterocyclylC₂₋₄alkynyl,

which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy, C₁₋₄alkyl, C₁₋₄alkoxy, -NR¹⁵R¹⁶, -NHC(O)NR¹⁵R¹⁶, -C(O)R¹⁵ and -C(O)OR¹⁵; R³ is hydrogen, halo or -X³R¹³; X³ is a direct bond, -CH₂=CH₂-, -O-, -NH-, -N(C₁₋₆alkyl)-, -C(O)-, -C(O)O-, -OC(O)-, -NHC(O)-, -N(C₁₋₆alkyl)C(O)-, -C(O)NH- or -C(O)N(C₁₋₆alkyl)-; R¹³ is hydrogen or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, aryl, arylC₁₋₄alkyl, arylC₂₋₄alkenyl, arylC₂₋₄alkynyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and heterocyclylC₂₋₄alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from -NR⁷R⁸, -C(O)NR⁷R⁸, halo, hydroxy, C₁₋₄alkyl, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, hydroxyC₁₋₄alkylcarbonyl, C₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl; R⁷ and R⁸ are independently selected from hydrogen, heterocyclyl, heterocyclylC₁₋₄alkyl, C₁₋₄alkylheterocyclylC₁₋₄alkyl, C₁₋₆alkyl, hydroxyC₁₋₆alkyl, C₁₋₄alkoxyC₁₋₆alkyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkylC₁₋₄alkyl, hydroxyC₃₋₆cycloalkyl, hydroxyC₁₋₄alkylC₃₋₆cycloalkyl, hydroxyC₃₋₆cycloalkylC₁₋₄alkyl, hydroxyC₁₋₄alkylC₃₋₆cycloalkylC₁₋₄alkyl, C₁₋₄alkoxyC₃₋₆cycloalkyl, C₁₋₄alkoxyC₃₋₆cycloalkylC₁₋₄alkyl, haloC₁₋₆alkyl, haloC₃₋₆cycloalkyl, haloC₃₋₆cycloalkylC₁₋₄alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, cyanoC₁₋₄alkyl, aminoC₁₋₆alkyl, C₁₋₄alkylaminoC₁₋₆alkyl, bis(C₁₋₄alkyl)aminoC₁₋₆alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl, hydroxyC₁₋₄alkylcarbonyl, C₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl; or R⁷ and R⁸ together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO₂, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C₁₋₄alkyl, hydroxy, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, C₁₋₄alkoxyC₁₋₄alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl, C₁₋₄alkoxyC₁₋₄alkoxy, hydroxyC₁₋₄alkylcarbonyl, C₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl, and where a ring -CH₂- is optionally replaced with -C(O)-; R⁴ is selected from hydrogen, halo or -X⁴R¹⁴; X⁴ is a direct bond, -O-, -NH- or -N(C₁₋₆alkyl)-;

R^{14} is selected from hydrogen, C_{1-6} alkyl, C_{2-6} alkenyl and C_{2-6} alkynyl;

R^5 is aryl or heteroaryl optionally substituted by 1, 2 or 3 substituents independently selected from halo, hydroxy, cyano, nitro, amino, C_{1-4} alkylamino, bis(C_{1-4} alkyl)amino, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, C_{1-4} alkoxy, $-CONHR^{17}$, $-NHCOR^{18}$ – SR^{17} , $-S(O)R^{17}$ and $-S(O)OR^{17}$;

R^9 , R^{10} , R^{15} and R^{16} are independently selected from hydrogen, C_{1-6} alkyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkyl C_{1-4} alkyl, hydroxy C_{1-6} alkyl, halo C_{1-6} alkyl, amino C_{1-6} alkyl, C_{1-4} alkylamino C_{1-6} alkyl and bis(C_{1-4} alkyl)amino C_{1-6} alkyl;


or R^9 and R^{10} together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2 , and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4} alkyl, hydroxy, C_{1-4} alkoxy, hydroxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkyl, hydroxy C_{1-4} alkoxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkoxy, hydroxy C_{1-4} alkylcarbonyl, C_{1-4} alkylcarbonyl, amino C_{1-4} alkylcarbonyl, C_{1-4} alkylamino C_{1-4} alkylcarbonyl and bis(C_{1-4} alkyl)amino C_{1-4} alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with $-C(O)-$;

R^{17} and R^{18} are independently selected from hydrogen, C_{1-4} alkyl, C_{3-6} cycloalkyl, C_{2-4} alkenyl and C_{2-4} alkynyl;

R^{19} is hydrogen, hydroxy C_{1-4} alkyl, $-C(O)R^{20}$, $-C(O)OR^{20}$, $-CONR^{20}R^{21}$, $-NHC(O)R^{20}$ or $-NHC(O)OR^{20}$;

R^{20} and R^{21} are independently selected from hydrogen, C_{1-4} alkyl and aryl.

2. (Previously presented) A compound of formula (IA)



or salt or ester thereof

where X, X¹, X², X³, R⁴, R⁵ and R¹⁹ are as defined in relation to formula (I) and R¹ is hydrogen, halo, or -X¹R¹¹;

R¹¹ is hydrogen, phosphonooxy or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and heterocyclylC₂₋₄alkynyl which group is optionally substituted by a substituent selected from halo, hydroxy, phosphonooxy, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkyl, -NR⁹R¹⁰, -C(O)R⁹, -C(O)NR⁹R¹⁰ and -C(O)OR⁹;

R² is hydrogen, halo, nitro, cyano or -X²R¹²;

R¹² is hydrogen, phosphonooxy or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, aryl, arylC₁₋₄alkyl, arylC₂₋₄alkenyl, arylC₂₋₄alkynyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and heterocyclylC₂₋₄alkynyl, which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy, phosphonooxy, C₁₋₄alkyl, C₁₋₄alkoxy, -NR¹⁵R¹⁶, -NHC(O)NR¹⁵R¹⁶, -C(O)R¹⁵ and -C(O)OR¹⁵;

R³ is hydrogen, halo or -X³R¹³;

R¹³ is hydrogen, phosphonooxy or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, aryl, arylC₁₋₄alkyl, arylC₂₋₄alkenyl, arylC₂₋₄alkynyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and heterocyclylC₂₋₄alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from -NR⁷R⁸, -C(O)NR⁷R⁸, halo, hydroxy, phosphonooxy, C₁₋₄alkyl, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkyl, hydroxyC₁₋₄alkylcarbonyl, phosphonooxyC₁₋₄alkylcarbonyl, C₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl;

R⁷ and R⁸ are independently selected from hydrogen, heterocyclyl, heterocyclylC₁₋₄alkyl, C₁₋₄alkylheterocyclylC₁₋₄alkyl, C₁₋₆alkyl, hydroxyC₁₋₆alkyl, phosphonooxyC₁₋₆alkyl, C₁₋₄alkoxyC₁₋₆alkyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkylC₁₋₄alkyl, hydroxyC₃₋₆cycloalkyl, phosphonooxyC₃₋₆cycloalkyl, hydroxyC₁₋₄alkylC₃₋₆cycloalkyl, phosphonooxyC₁₋₄alkylC₃₋₆cycloalkyl, hydroxyC₃₋₆cycloalkylC₁₋₄alkyl, phosphonooxyC₃₋₆cycloalkylC₁₋₄alkyl, hydroxyC₁₋₄alkylC₃₋₆cycloalkylC₁₋₄alkyl, phosphonooxyC₁₋₄alkylC₃₋₆cycloalkylC₁₋₄alkyl, C₁₋₄alkoxyC₃₋₆cycloalkyl, C₁₋₄alkoxyC₃₋₆cycloalkylC₁₋₄alkyl, haloC₁₋₆alkyl, haloC₃₋₆cycloalkyl, haloC₃₋₆cycloalkylC₁₋₄alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, cyanoC₁₋₄alkyl, aminoC₁₋₆alkyl,

C_{1-4} alkylamino C_{1-6} alkyl, bis(C_{1-4} alkyl)amino C_{1-6} alkyl, hydroxy C_{1-4} alkoxy C_{1-4} alkyl, phosphonoxy C_{1-4} alkoxy C_{1-4} alkyl, hydroxy C_{1-4} alkylcarbonyl, phosphonoxy C_{1-4} alkylcarbonyl, C_{1-4} alkylcarbonyl, amino C_{1-4} alkylcarbonyl, C_{1-4} alkylamino C_{1-4} alkylcarbonyl and bis(C_{1-4} alkyl)amino C_{1-4} alkylcarbonyl; or R^7 and R^8 together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2 , and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4} alkyl, hydroxy, phosphonoxy, C_{1-4} alkoxy, hydroxy C_{1-4} alkyl, phosphonoxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkyl, hydroxy C_{1-4} alkoxy C_{1-4} alkyl, phosphonoxy C_{1-4} alkoxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkoxy, hydroxy C_{1-4} alkylcarbonyl, phosphonoxy C_{1-4} alkylcarbonyl, C_{1-4} alkylcarbonyl, amino C_{1-4} alkylcarbonyl, C_{1-4} alkylamino C_{1-4} alkylcarbonyl and bis(C_{1-4} alkyl)amino C_{1-4} alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with $-C(O)-$; R^9 , R^{10} , R^{15} and R^{16} are independently selected from hydrogen, C_{1-6} alkyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkyl(C_{1-3} alkyl), hydroxy C_{1-6} alkyl, phosphonoxy C_{1-6} alkyl, halo C_{1-6} alkyl, amino C_{1-6} alkyl, C_{1-6} alkylamino C_{1-6} alkyl and bis(C_{1-6} alkyl)amino C_{1-6} alkyl; or R^9 and R^{10} together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2 , and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4} alkyl, hydroxy, phosphonoxy, C_{1-4} alkoxy, hydroxy C_{1-4} alkyl, phosphonoxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkyl, hydroxy C_{1-4} alkoxy C_{1-4} alkyl, phosphonoxy C_{1-4} alkoxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkoxy, hydroxy C_{1-4} alkylcarbonyl, phosphonoxy C_{1-4} alkylcarbonyl, C_{1-4} alkylcarbonyl, amino C_{1-4} alkylcarbonyl, C_{1-4} alkylamino C_{1-4} alkylcarbonyl and bis(C_{1-4} alkyl)amino C_{1-4} alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with $-C(O)-$; provided that a compound of formula (IA) contains at least one phosphonoxy group.

3. (Previously presented) A compound or a salt or ester thereof according to claim 2 containing only one phosphonoxy group.

4. (Currently amended) A compound or a salt or, ester ~~of prodrug~~ thereof according to claim 1 wherein R¹ is hydrogen, halo or –OR¹¹ and R¹¹ is hydrogen or a group selected from C₁₋₆alkyl, heterocyclyl and heterocyclylC₁₋₄alkyl, which group is optionally substituted by a substituent selected from hydroxy, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, hydroxyC₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl.

5. (Currently amended) A compound or a salt or, ester ~~of prodrug~~ thereof according to claim 1 wherein R² is hydrogen, halo, –OR¹² or –OC(O)R¹² and R¹² is hydrogen or a group selected from C₁₋₄alkyl, aryl, heterocyclyl and heterocyclylC₁₋₄alkyl which group is optionally substituted by a substituent selected from C₁₋₄alkyl and C₁₋₄alkoxy.

6. (Currently amended) A compound or a salt or, ester ~~of prodrug~~ thereof according to claim 1 wherein R³ is hydrogen or –X³R¹³ and R¹³ is hydrogen, methyl, ethyl, propyl, heterocyclyl, heterocyclylmethyl, heterocyclylethyl or heterocyclylpropyl which methyl, ethyl or propyl are optionally substituted by –NR⁷R⁸, –C(O)NR⁷R⁸ or 1 or 2 halo, hydroxy or C₁₋₄alkoxy substituents and which heterocyclylmethyl, heterocyclylethyl or heterocyclylpropyl are optionally substituted on heterocyclyl by hydroxy, C₁₋₄alkyl, hydroxyC₁₋₄alkyl or hydroxyC₁₋₄alkylcarbonyl.

7. (Currently amended) A compound or a salt or, ester ~~of prodrug~~ thereof according to claim 6 wherein R⁷ and R⁸ are independently selected from hydrogen, heterocyclyl, heterocyclylC₁₋₄alkyl, C₁₋₄alkylheterocyclylC₁₋₄alkyl, C₁₋₆alkyl, hydroxyC₁₋₆alkyl, C₁₋₄alkoxyC₁₋₄alkyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkylC₁₋₄alkyl, hydroxyC₃₋₆cycloalkyl, hydroxyC₁₋₄alkylC₃₋₆cycloalkyl, haloC₁₋₆alkyl, C₂₋₄alkenyl, C₂₋₄alkynyl, cyanoC₁₋₄alkyl, aminoC₁₋₄alkyl, C₁₋₄alkylaminoC₁₋₄alkyl, bis(C₁₋₄alkyl)aminoC₁₋₄alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl and hydroxyC₁₋₄alkylcarbonyl; or R⁷ and R⁸ together with the nitrogen to which they are attached form a heterocyclic ring selected from azetidine, pyrrolidine, piperidine, morpholine, piperazine, diazepane, 1,4-diazepane and azabicyclo[3.1.0]hexane which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C₁₋₄alkyl, hydroxy, hydroxyC₁₋₄alkyl, C₁₋₄alkoxyC₁₋₄alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl, C₁₋₄alkylcarbonyl and hydroxyC₁₋₄alkylcarbonyl, and where a ring –CH₂– is optionally replaced with –C(O)–.

8. (Previously presented) A compound or a salt or ester thereof according to claim 2 wherein $R^{1'}$ is hydrogen, halo or $-OR^{11'}$ and $R^{11'}$ is hydrogen, phosphonooxy or a group selected from C_{1-4} alkyl, heterocyclyl and heterocyclyl C_{1-4} alkyl, which group is optionally substituted by a substituent selected from hydroxy, phosphonooxy, C_{1-4} alkoxy, hydroxy C_{1-4} alkyl, phosphonooxy C_{1-4} alkyl, hydroxy C_{1-4} alkylcarbonyl, phosphonooxy C_{1-4} alkylcarbonyl, amino C_{1-4} alkylcarbonyl, C_{1-4} alkylamino C_{1-4} alkylcarbonyl and bis(C_{1-4} alkyl)amino C_{1-4} alkylcarbonyl.

9. (Previously presented) A compound or a salt or ester thereof according to claim 2 wherein $R^{2'}$ is hydrogen, halo, $-OR^{12'}$ or $-OC(O)R^{12'}$ and $R^{12'}$ is hydrogen, phosphonooxy or a group selected from C_{1-4} alkyl, aryl, heterocyclyl and heterocyclyl C_{1-4} alkyl which group is optionally substituted by a substituent selected from C_{1-4} alkyl and C_{1-4} alkoxy.

10. (Previously presented) A compound or a salt or ester thereof according to claim 2 wherein $R^{3'}$ is hydrogen, phosphonooxy or $-X^3R^{13'}$ and $R^{13'}$ is hydrogen or a group selected from C_{1-6} alkyl, aryl, aryl C_{1-4} alkyl, heterocyclyl and heterocyclyl C_{1-4} alkyl, which group is optionally substituted by 1 or 2 substituents independently selected from $-NR^7R^8$, $-C(O)NR^7R^8$, halo, hydroxy, phosphonooxy, C_{1-4} alkyl, C_{1-4} alkoxy, hydroxy C_{1-4} alkyl, phosphonooxy C_{1-4} alkyl, hydroxy C_{1-4} alkylcarbonyl, phosphonooxy C_{1-4} alkylcarbonyl and C_{1-4} alkylcarbonyl.

11. (Previously presented) A compound or a salt or ester thereof according to claim 10 wherein R^7 and R^8 are independently selected from hydrogen, heterocyclyl, heterocyclyl C_{1-4} alkyl, C_{1-4} alkylheterocyclyl C_{1-4} alkyl, C_{1-6} alkyl, hydroxy C_{1-6} alkyl, phosphonooxy C_{1-6} alkyl, C_{1-4} alkoxy C_{1-4} alkyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkyl C_{1-4} alkyl, hydroxy C_{3-6} cycloalkyl, phosphonooxy C_{3-6} cycloalkyl, hydroxy C_{1-4} alkyl C_{3-6} cycloalkyl, phosphonooxy C_{1-4} alkyl C_{3-6} cycloalkyl, halo C_{1-6} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, cyano C_{1-4} alkyl, amino C_{1-4} alkyl, bis(C_{1-4} alkyl)amino C_{1-4} alkyl, hydroxy C_{1-4} alkoxy C_{1-4} alkyl, phosphonooxy C_{1-4} alkoxy C_{1-4} alkyl, hydroxy C_{1-4} alkylcarbonyl and phosphonooxy C_{1-4} alkylcarbonyl; or R^7 and R^8 together with the nitrogen to which they are attached form a heterocyclic ring selected from azetidine, pyrrolidine, piperidine, morpholine, piperazine, diazepane, 1,4-diazepane and azabicyclo[3.1.0]hexane which

ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C₁₋₄alkyl, hydroxy, phosphonoxy, hydroxyC₁₋₄alkyl, phosphonoxyC₁₋₄alkyl, C₁₋₄alkoxyC₁₋₄alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl, phosphonoxyC₁₋₄alkoxyC₁₋₄alkyl, C₁₋₄alkylcarbonyl, hydroxyC₁₋₄alkylcarbonyl and phosphonoxyC₁₋₄alkylcarbonyl, and where a ring -CH₂- is optionally replaced with -C(O)-.

12. (Currently amended) A compound or a salt or, ester ~~or prodrug~~ thereof according to claim 1 wherein X is NH.

13. (Currently amended) A compound or a salt or, ester ~~or prodrug~~ thereof according to claim 1 wherein R⁴ is hydrogen.

14. (Currently amended) A compound or a salt or, ester ~~or prodrug~~ thereof according to claim 1 wherein R⁵ is aryl optionally substituted by 1 or 2 halo.

15. (Currently amended) A compound or a salt or, ester ~~or prodrug~~ thereof according to claim 1 wherein R¹⁹ is hydrogen, hydroxycarbonyl, ethoxycarbonyl, aminocarbonyl and acetylamino.

16. (Currently amended) A compound of formula (I) selected from:

2-(4-[[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;

2-(4-[[7-(3-chloropropoxy)quinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

2-(4-[[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

2-(4-[[7-(3-chloropropoxy)quinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;

2-(4-[[7-(2-chloroethoxy)quinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

2-(4-[[7-(2-chloroethoxy)-6-methoxyquinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[[7-(2,2-dimethoxyethoxy)quinazolin-4-yl]amino]-1-*H*-pyrazol-1-yl]acetamide;
4-[[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino]-1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1-*H*-pyrazole-3-carboxamide;
ethyl 4-[[7-(3-chloropropoxy)quinazolin-4-yl]amino]-1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1-*H*-pyrazole-3-carboxylate;
2-(3-(acetylamino)-4-[[7-(3-chloropropoxy)quinazolin-4-yl]amino]-1-*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-(quinazolin-4-ylamino)-1-*H*-pyrazol-1-yl]acetamide;
2-(4-[[7-(3-chloropropoxy)-5-isopropoxyquinazolin-4-yl]amino]-1-*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
2-(4-[[7-(3-chloropropoxy)-5-methoxyquinazolin-4-yl]amino]-1-*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
2-(4-[[7-(3-chloropropoxy)-6-fluoroquinazolin-4-yl]amino]-1-*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
2-(4-[[7-(3-chloropropoxy)-6-fluoroquinazolin-4-yl]amino]-1-*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1-*H*-pyrazol-1-yl]acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1-*H*-pyrazol-1-yl]acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1-*H*-pyrazol-1-yl]acetamide;
N-(3-fluorophenyl)-2-{4-[[6-methoxy-7-(3-piperidin-1-ylpropoxy)quinazolin-4-yl]amino]-1-*H*-pyrazol-1-yl]acetamide;
N-(3-fluorophenyl)-2-{4-[[6-methoxy-7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino]-1-*H*-pyrazol-1-yl]acetamide;
2-[4-((7-[3-(diethylamino)propoxy]-6-methoxyquinazolin-4-yl)amino)-1-*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[[6-methoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino]-1-*H*-pyrazol-1-yl]acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1-*H*-pyrazol-1-yl]acetamide;

2-[4-((7-[3-(cyclopropylamino)propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-((7-[3-[[2-(dimethylamino)ethyl](methyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-[4-((6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-[4-((7-[3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-[4-((7-[3-(4-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

2-[4-((7-[3-[bis(2-hydroxyethyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-((7-[3-[ethyl(methyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-((7-[3-[ethyl(2-hydroxyethyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-((7-[3-[[2-(dimethylamino)ethyl](ethyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-[4-((7-[3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-[4-((7-[3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

2-[4-((7-[3-((cyclopropylmethyl)amino)propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-[4-((7-[3-[4-(2-hydroxyethyl)piperidin-1-yl]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-[4-((6-methoxy-7-[3-[methyl(prop-2-yn-1-yl)amino]propoxy]quinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

2-[4-((7-[3-[allyl(methyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-[4-((7-[3-[isobutyl(methyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-[4-[(7-{3-(3-hydroxypiperidin-1-yl)propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-[4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-[4-[(6-methoxy-7-{3-[methyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

2-[4-[(7-{3-[(cyclopropylmethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-[(7-{3-[[2-(diethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-[(7-{3-[[2-(diethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-[4-[(6-methoxy-7-{3-(4-methyl-1,4-diazepan-1-yl)propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-[4-[(7-{3-[(2-hydroxyethyl)(isopropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

2-[4-[(7-{3-[cyclopropyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-[4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

2-[4-[(7-{3-[cyclobutyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-[(7-{3-[(cyclobutylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-[4-[(7-{3-[(2-hydroxyethyl)(prop-2-yn-1-yl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

2-[4-[(7-{3-[allyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-[(7-{3-[(2,2-dimethylpropyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(3,3,3-trifluoropropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-(3-azetidin-1-yl)propoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;

2-{4-[(6,7-dimethoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-{4-[(7-hydroxy-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-(dimethylamino)propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-(3-piperidin-1-yl)propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-(3-pyrrolidin-1-yl)propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-(3-piperazin-1-yl)propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide

2-{4-[(7-{3-(cyclopropylamino)propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-dimethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-(4-hydroxypiperidin-1-yl)propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

2-[4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[ethyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[[2-(dimethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

2-[4-[(7-{3-[(cyclopropylmethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[4-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(6-methoxy-7-{3-[methyl(prop-2-yn-1-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[isobutyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-(3-hydroxypiperidin-1-yl)propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(6-methoxy-7-{3-[methyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

2-[4-[(7-{3-[(cyclopropylmethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-[4-[(7-{3-[[2-(diethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{3-[[2-(diethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-[3-(4-methyl-1,4-diazepan-1-yl)propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isopropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
2-{4-[(7-{3-[cyclopropyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
2-{4-[(7-{3-[cyclobutyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;
2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;
2-{4-[(7-{3-[(cyclobutylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(prop-2-yn-1-yl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
2-{4-[(7-{3-[allyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2,2-dimethylpropyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(3,3,3-trifluoropropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[2-(hydroxymethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxy-1,1-dimethylethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(2-hydroxyethyl)piperazin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(*trans*-4-hydroxycyclohexyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[3-(hydroxymethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(1-(hydroxymethyl)cyclopentyl]amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(3-hydroxypropyl)piperazin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclohexyl(2-hydroxyethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(propyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3-hydroxy-2,2-diethylpropyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-[2-(tetrahydro-2*H*-pyran-4-ylamino)ethoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclobutyl(2-hydroxyethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(2-hydroxyethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(2-hydroxyethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[cyclopentyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-1,1-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[(2-cyanoethyl)(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-(morpholin-4-yl)propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-2,2-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxypropyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(3-hydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)-3-oxopiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-(propylamino)propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-(piperazin-1-yl)propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[glycoloyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-(4-glycoloylpiperazin-1-yl)propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[(*trans*-2-(hydroxymethyl)cyclohexyl]amino)propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[(1 α ,5 α ,6 α)-6-(hydroxymethyl)-3-azabicyclo[3.1.0]hex-3-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[(2*R*)-2-hydroxypropyl]amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[(1*S*)-2-hydroxy-1-methylethyl]amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[(2-hydroxy-1,1-dimethylethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[(2,3-dihydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[(2-(2-hydroxyethoxy)ethyl]amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

2-[4-[(7-{3-(4-acetylpiperazin-1-yl)propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[(tetrahydrofuran-2-ylmethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

2-[4-[(7-{3-(allylamino)propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[(1-(hydroxymethyl)-2-methylpropyl]amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[(5-methylisoxazol-3-yl)methyl]amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-(tetrahydro-2*H*-pyran-4-ylamino)propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-{3-[(3*S*)-3-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-{4-[[7-(3-hydroxypropoxy)quinazolin-4-yl]amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[[7-(3-aminopropoxy)quinazolin-4-yl]amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*,4*R*)-4-hydroxy-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3-hydroxy-2,2-dimethylpropyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclohexyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-(cyclopropylamino)ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-(cyclobutylamino)ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-(tetrahydro-2*H*-pyran-4-ylamino)ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-(cyclopentylamino)ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclopentyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclopropyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclobutyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclopentyl(3-hydroxypropyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclopentyl(glycoloyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3*S*)-3-(hydroxymethyl)-4-methylpiperazin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(hydroxymethyl)-4-methylpiperazin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(hydroxymethyl)piperidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(2-hydroxyethyl)piperidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(*trans*-2-(hydroxymethyl)cyclohexyl]amino)ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-pyrrolidin-1-yl}propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)-4-methylpiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3*S*)-3-(hydroxymethyl)-4-methylpiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)morpholin-4-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3*S*)-3-(hydroxymethyl)morpholin-4-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-(glycoloylamino)propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-1,1-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(tetrahydrofuran-3-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-morpholin-4-ylpropoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{[(2*S*)-pyrrolidin-2-ylmethoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{[(2*S*)-1-(2-hydroxyethyl)pyrrolidin-2-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{[(2*S*)-1-glycoloylpyrrolidin-2-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{pyrrolidin-3-ylmethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{[1-(2-hydroxyethyl)pyrrolidin-3-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-[4-[(7-[(1-glycolylpyrrolidin-3-yl)methoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-[4-[(7-[3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-[4-[(7-hydroxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2-fluorophenyl)-2-[4-[(7-[3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide

2-[4-[(7-[3-[ethyl(2-hydroxyethyl)amino]propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2-fluorophenyl)acetamide;

2-[4-[(7-[3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-phenylacetamide;

2-[4-[(7-[3-[ethyl(2-hydroxyethyl)amino]propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-phenylacetamide;

N-(2,6-difluorophenyl)-2-[4-[(7-[3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

2-[4-[(7-[3-[ethyl(2-hydroxyethyl)amino]propoxy]-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-[(7-[3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy]-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-[4-[(6-fluoro-7-[3-[(2-hydroxyethyl)(propyl)amino]propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(6-fluoro-7-[3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

2-[4-[(7-[3-[cyclopentyl(2-hydroxyethyl)amino]propoxy]-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-[4-[(7-[3-[bis(2-hydroxyethyl)amino]propoxy]-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-[3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy]-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[(7-[3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy]-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-[4-[[5-isopropoxy-7-(3-piperazin-1-yl)propoxy]quinazolin-4-yl]amino]-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)amino]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-(4-glycoloylpiperazin-1-yl)propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5,7-dimethoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5-hydroxy-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-methoxy-5-[(2*R*)-pyrrolidin-2-ylmethoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5-[(2*R*)-1-glycoloylpyrrolidin-2-yl]methoxy)-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5-[(2*R*)-1-(*N,N*-dimethylglycyl)pyrrolidin-2-yl]methoxy)-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5-[(2*R*)-1-(2-hydroxyethyl)pyrrolidin-2-yl]methoxy)-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-methoxy-6-(3-morpholin-4-ylpropoxy)quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-methoxy-6-[(1-methylpyrrolidin-3-yl)oxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-methoxy-6-(2-morpholin-4-ylethoxy)quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(6,7-bis(2-methoxyethoxy)quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(3-fluorophenyl)-2-{4-[(6-hydroxy-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

4-((1-(2-((2,3-difluorophenyl)amino)-2-oxoethyl)-1*H*-pyrazol-4-yl)amino)-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-6-yl benzoate;
N-(2,3-difluorophenyl)-2-(4-((6-hydroxy-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-4-yl)amino)-1*H*-pyrazol-1-yl)acetamide;
 1-[2-((3-fluorophenyl)amino)-2-oxoethyl]-4-[(7-[3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy)-6-methoxyquinazolin-4-yl]amino]-1*H*-pyrazole-3-carboxamide;
 1-[2-((3-fluorophenyl)amino)-2-oxoethyl]-4-[(7-[3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy)-6-methoxyquinazolin-4-yl]amino]-1*H*-pyrazole-3-carboxamide;
 2-[3-(acetylamino)-4-[(7-[3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
 ethyl 1-[2-((3-fluorophenyl)amino)-2-oxoethyl]-4-[(7-[3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy]quinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxylate; and
 1-[2-((3-fluorophenyl)amino)-2-oxoethyl]-4-[(7-[3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy]quinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxylic acid;
 or a salt or, ester ~~or~~ ~~prodrug~~ thereof.

17. (original) A compound of formula (IA) selected from:

2-[[3-((4-[(1-[2-((2,3-difluorophenyl)amino)-2-oxoethyl]-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl)oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
 {(2*S*)-1-[3-((4-[(1-[2-((2,3-difluorophenyl)amino)-2-oxoethyl]-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl)oxy)propyl]pyrrolidin-2-yl)methyl dihydrogen phosphate;
 {(2*S*)-1-[3-((4-[(1-[2-((3-fluorophenyl)amino)-2-oxoethyl]-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl)oxy)propyl]pyrrolidin-2-yl)methyl dihydrogen phosphate;
 2-[ethyl[3-((4-[(1-[2-((3-fluorophenyl)amino)-2-oxoethyl]-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl)oxy)propyl]amino]ethyl dihydrogen phosphate;
 {(2*R*)-1-[3-((4-[(1-[2-((3-fluorophenyl)amino)-2-oxoethyl]-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl)oxy)propyl]pyrrolidin-2-yl)methyl dihydrogen phosphate;
 2-[3-((4-[(1-[2-((2,3-difluorophenyl)amino)-2-oxoethyl]-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl)oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
 {(2*S*)-1-[3-((4-[(1-[2-((2,3-difluorophenyl)amino)-2-oxoethyl]-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy)propyl]pyrrolidin-2-yl)methyl dihydrogen phosphate;

{(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl)methyl dihydrogen phosphate;
 {(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl)methyl dihydrogen phosphate;
 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](ethyl)amino]ethyl dihydrogen phosphate;
 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
 2-(cyclobutyl[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]amino)ethyl dihydrogen phosphate;
 2-(cyclobutyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]amino)ethyl dihydrogen phosphate;
 2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
 2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate;
 2-{ethyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](ethyl)amino]ethyl dihydrogen phosphate;
 3-{[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino]-3-methylbutyl dihydrogen phosphate;
 3-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino]-3-methylbutyl dihydrogen phosphate;
 {(2*R*)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl)methyl dihydrogen phosphate;
 2-{4-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate
 3-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}propyl dihydrogen phosphate;

2-[[3-{{4-{{1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy}propyl}amino]ethyl dihydrogen phosphate;

2-[[3-{{4-{{1-{{2-{{(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy}propyl}(2-methoxyethyl)amino]ethyl dihydrogen phosphate;

3-[[3-{{4-{{1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy}propyl}(ethyl)amino]propyl dihydrogen phosphate;

3-[[3-{{4-{{1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy}propyl}(propyl)amino]propyl dihydrogen phosphate;

2-[[3-{{4-{{1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy}propyl}(propyl)amino]-2-oxoethyl dihydrogen phosphate;

2-{{4-{{3-{{4-{{1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy}propyl}piperazin-1-yl)-2-oxoethyl dihydrogen phosphate;

{{(2*R*)-1-[[3-{{4-{{1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-fluoroquinazolin-7-yl)oxy}propyl}pyrrolidin-2-yl)methyl dihydrogen phosphate;

4-{{(1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino)-7-{{(1-methylpiperidin-4-yl)methoxy}quinazolin-6-yl dihydrogen phosphate;

{{(2*R*)-1-[[3-{{4-{{1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl)oxy}propyl}pyrrolidin-2-yl)methyl dihydrogen phosphate;

2-{{4-{{3-{{4-{{1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl)oxy}propyl}piperazin-1-yl)ethyl dihydrogen phosphate;

2-[[3-{{4-{{1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl)oxy}propyl}amino]ethyl dihydrogen phosphate;

{{(2*R*)-1-[[3-{{4-{{1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-methoxyquinazolin-7-yl)oxy}propyl}pyrrolidin-2-yl)methyl dihydrogen phosphate;

{{(2*R*)-1-[[2-{{4-{{1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl)oxy}ethyl}pyrrolidin-2-yl)methyl dihydrogen phosphate;

{{(2*S*)-1-[[2-{{4-{{1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl)oxy}ethyl}pyrrolidin-2-yl)methyl dihydrogen phosphate;

2-[[2-{{4-{{1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl)oxy}ethyl}(tetrahydro-2*H*-pyran-4-yl)amino]ethyl dihydrogen phosphate;

2-{{4-{{3-{{4-{{1-{{2-{{(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy}propyl]-2-oxopiperazin-1-yl)ethyl dihydrogen phosphate; and


2-[[2-{{4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl)-1*H*-pyrazol-4-yl]amino]quinazolin-7-yl}oxy)ethyl]}(tetrahydro-2*H*-pyran-4-yl)amino]ethyl dihydrogen phosphate;
or a salt or ester thereof.

18-21. (Previously cancelled)

22. (Currently amended) A pharmaceutical composition comprising a compound according to claim 1, or a pharmaceutically acceptable salt or, ester ~~or prodrug~~ thereof, in association with a pharmaceutically acceptable diluent or carrier.


23. (Previously cancelled)

24. (Currently amended) A process for the preparation of a compound according to claim 1 or a pharmaceutically acceptable salt or, ester ~~or prodrug~~ thereof, which process comprises reacting a compound of formula (II)



(II)

where L is a suitable leaving group and R¹, R², R³, R⁴ are as defined in claim 1 with a compound of formula (III)



(III)

wherein R⁵ and R¹⁹ are as defined in claim 1

in the presence of hydrochloric acid in dioxane under an inert atmosphere,
and thereafter if necessary:

- i) ~~converting a compound of the formula (I) into another compound of the formula (I);~~
and/or
- ii) removing any protecting groups; and/or
- iii) forming a salt or, ester ~~or prodrug~~ thereof.

25. (original) A process for the preparation of a compound according to claim 2 or a pharmaceutically acceptable salt thereof, which process comprises phosphorylation of a compound according to claim 1, followed by deprotection of the phosphate group to yield a compound according to claim 2.

26. (Currently amended) A method of treating a human suffering from colorectal-cancer, comprising the steps of administering to a person in need thereof a therapeutically effective amount of a compound according to claim 1 or a pharmaceutically acceptable salt or, ester ~~or prodrug~~ thereof.